Prepared by: Name Lawrence Lombard (Butters Construction & Development, Inc.) Address: 6820 Lyons Technology Circle, Ste. 100 Coconut Creek, FL 33073

Return to: Leslie W. May, City Clerk City of Coconut Creek 4800 West Copans Road Coconut Creek, Florida 33063

BILL OF SALE

(From a corporation) (Water Distribution and Sewage Collection system)

KNOW ALL MEN BY THESE PRESENTS, Lambert Holding Company, Inc. (Name of Owner), whose principal post office address is <u>2419 E. Commercial Blvd., Ft.</u> Lauderdale, Florida <u>33308</u>, hereinafter referred to as Seller, for and in consideration of the sum of Ten Dollars (\$10) and good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, does hereby grant, bargain, convey, sell and transfer to the CITY OF COCONUT CREEK, a Florida municipal corporation, whose post office address is 4800 Copans Road, Coconut Creek, FL 33063, hereinafter referred to as Buyer, its successors and assigns:

that certain Water Distribution & Sewage Collection system (consisting of that certain personal property described on Exhibit "A" which is attached hereto and made a part hereof,) located within that certain real property described as in Exhibit "B" which is attached hereto and made a part hereof.

TO HAVE AND TO HOLD the same unto the Buyer, its successors and assigns forever.

AND SELLER, its successors and assigns, covenants to and with the Buyer that Seller is the lawful owner of the above described personal property, free and clear of all encumbrances, and the it will warrant and defend the sale of said property against the claims and demands of all other persons whatsoever.

IN WITNESS WHEREOF, the Seller hereto has caused this Bill Of Sale to be executed in its name, and its corporate seal to be affixed, by its appropriate officers thereunto duly authorized, this $\underline{//\rho}$ day of $\underline{//\rho}$.

1A SELLER:

corporation

(Corp seal) ATTEST: Secretary

(Print/type/stamp name of

Witness:

am Johns

(Print/type/stamp name of witness)

STATE OF COUNTY OF BRUENd

Lambort Holdi

(Name of granting corporation)
a

(Here insert state of incorporation)

by:______- President

(eim (Print/type/stamp


Witness:

Mehon Un nelissa Hans

(Print/type/stamp name of witness)


THE FOREGOING BILL OF SALE was acknowledged before me this <u>10</u> day of <u>Mach</u>, 20<u>10</u> by <u>Danci (ample</u>, _____ president (name and title), and _____ secretary (name and title) of _ (name of grantor corporation), a (state or place of incorporation) corporation. He/she /they is/are personally known to me or has/have produced (type of ID) and (type of ID), respectively, as identification. Notary Public-State of GINA M. JOHNS NOTARY PUBLIC (Print/type/stamp name of Notary Public) STATE OF FLORIDA Comm# FF163551 My commission expires: Expires 10/11/2018 (NP Seal) My commission number is:

S:\Data\Utilities Engineering\Common\Engineering Common\Documents\2 ENGGUIDELINES\Sec II - Forms\BILL Sale from a corp 2-16-98.doc



aye

UL.




110m/V6m0

2 X X X 11

् । । raye

4 OT LU

Orowing:K: JG6531 CAD FILE CASEMENT - WATERLINE - 2016-01-13 JG6531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg SHT 2



: :

raye

Drowing:K: JG0531 CAD Files EASEMENT - WATERLINE - 2018-01-13 JG0531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg SHT

Exhibit

JOHN A. GRANT, JR., INC.

3333 NORTH FEDERAL HIGHWAY PHONE : (561) 395-3333

г. **1**

. .

CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50

BOCA RATON, FLORIDA 334 FAX : (561) 395-33

LEGAL DESCRIPTION WATER LINE EASEMENT

PARCEL "A" OF LAND LYING IN THE GROVE PARC PLAT, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 178, PAGE 146. OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE THE WESTERLY SOUTHWEST CORNER OF SAID PARCEL "A" OF THE "GROVE PARC PLAT" AS RECORDED IN PLAT BOOK 178, PAGES 146-149;

THENCE RUNNING EASTERLY ALONG THE PROPERTY LINE OF PARCEL "A" WITH A BEARING OF N89"36'22"E, A DISTANCE OF 369.42 FEET TO A POINT, SAID POINT BEING "A""THE POINT OF BEGINNING OF THE HERIN DESCRIBED UTILITY EASEMENT;

THENCE N89"36'22"E, A DISTANCE OF 703.74 FEET ALONG THE NORTHERN LINE OF PARCEL A TO A POINT, SAID POINT BEING THE NORTHEAST CORNER OF PARCEL "A" OF THE "GROVE PARC PLAT".

THENCE SO"24'49"E, A DISTANCE OF 101.43 FEET ALONG THE EASTERN LINE OF PARCEL "A" TO A POINT; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED UTILITY EASEMENT;

THENCE WITH A BEARING OF N87°27'01"W, A DISTANCE OF 18.85 FEET TO A POINT; THENCE WITH A BEARING OF \$45°00'00"W, A DISTANCE OF 30.39 FEET TO A POINT; THENCE WITH A BEARING OF \$89°56'12"W, A DISTANCE OF 177.87 FEET TO A POINT; THENCE WITH A BEARING OF N00°51'27"W, A DISTANCE OF 69.90 FEET TO A POINT; THENCE WITH A BEARING OF N43°28'44"W, A DISTANCE OF 66.80 FEET TO A POINT; THENCE WITH A BEARING OF N43°28'44"W, A DISTANCE OF 66.80 FEET TO A POINT; THENCE WITH A BEARING OF N48°47'32"E, A DISTANCE OF 6.77 FEET TO A POINT; THENCE WITH A BEARING OF N48°47'32"E, A DISTANCE OF 6.77 FEET TO A POINT; THENCE WITH A BEARING OF N41°12'27"W, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF \$48°47'32"W, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF \$48°47'32"W, A DISTANCE OF 8.06 FEET TO A POINT; THENCE WITH A BEARING OF \$48°47'32"W, A DISTANCE OF 234.73 FEET TO A POINT; THENCE WITH A BEARING OF \$689°48'16"W, A DISTANCE OF 6.80 FEET TO A POINT; THENCE WITH A BEARING OF \$60°14'04"W, A DISTANCE OF 6.80 FEET TO A POINT; THENCE WITH A BEARING OF \$00°14'04"W, A DISTANCE OF 6.83 FEET TO A POINT;

(CONTINUED ON SHEETS OF 5)

THIS IS NOT A SURVEY !

Drawn By TFL	Date 01/12/2016
Checked By TFL	F.B. <u>N/A Pg.</u> <u>N/A</u>
Scale N.T.S.	Job No. <u>JG6531</u>
Sheet 4 of 5	

NOTE:

ALL BEARINGS SHOWN HEREON ARE RELATIVE TO ANY INFORMATION DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES, 146-149) HEREIN INCORPORATED BY REFERENCE.

Drawing:K:/JG8531/CAD FROM/EASEMENT - WATERLINE - 2018-01-13/JG8531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg/SHT

INDIA # 1134/0243

÷ 4

rage

7 of 10

JOHN A. GRANT, JR., INC. CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50

BOCA RATON, FLORIDA 334 FAX : (561) 395-33

LEGAL DESCRIPTION WATER LINE EASEMENT EXNIDH "B" (5 0F 8)

(CONTINUED FROM SHEET 4 OF 5)

THENCE WITH A BEARING OF \$89"27"43"W, A DISTANCE OF 134.82 FEET TO A POINT; THENCE WITH A BEARING OF S00"39'43"E, A DISTANCE OF 173.65 FEET TO A POINT; THENCE WITH A BEARING OF \$89"46'22"W, A DISTANCE OF 9.86 FEET TO A POINT; THENCE WITH A BEARING OF S00"13'38"E, A DISTANCE OF 12.00 FEETTO A POINT; THENCE WITH A BEARING OF N89"46'22"E, A DISTANCE OF 9.95 FEET TO A POINT; THENCE WITH A BEARING OF S00"31'33"E, A DISTANCE OF 110.64 FEET TO A POINT; THENCE WITH A BEARING OF N89"35'54"E, A DISTANCE OF 40.19 FEET TO A POINT; THENCE WITH A BEARING OF S00"23'38"E, A DISTANCE OF 26.73 FEET TO A POINT; THENCE WITH A BEARING OF N89"36'22"E, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF NO0"23'38"W, A DISTANCE OF 38.73 FEET TO A POINT; THENCE WITH A BEARING OF \$89"35"54"W, A DISTANCE OF 40.20 FEET TO A POINT; THENCE WITH A BEARING OF NO0"37'02"W, A DISTANCE OF 272.33 FEET TO A POINT; THENCE WITH A BEARING OF N89"41'00"E, A DISTANCE OF 365.38 FEET TO A POINT; THENCE WITH A BEARING OF \$43"28'44"E, A DISTANCE OF 48.20 FEET TO A POINT; THENCE WITH A BEARING OF S00"52'33"E, A DISTANCE OF 77.06 FEET TO A POINT; THENCE WITH A BEARING OF \$89*59'42"E, A DISTANCE OF 3,40 FEET TO A POINT; THENCE WITH A BEARING OF SOO"00"00"E, A DISTANCE OF 8.28 FEET TO A POINT; THENCE WITH A BEARING OF N90'00'00"W, A DISTANCE OF 13.60 FEET TO A POINT; THENCE WITH A BEARING OF N65"23'40"W, A DISTANCE OF 31.59 FEET TO A POINT; THENCE WITH A BEARING OF \$24"36"20"W, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF S65"23'40"E, A DISTANCE OF 34.21 FEET TO A POINT; THENCE WITH A BEARING OF N90'00'00"E, A DISTANCE OF 28.22 FEET TO A POINT; THENCE WITH A BEARING OF NO0'00'00"E, A DISTANCE OF 20.29 FEET TO A POINT; THENCE WITH A BEARING OF N89*56'12"E, A DISTANCE OF 179.25 FEET TO A POINT; THENCE WITH A BEARING OF N45'00'00"E, A DISTANCE OF 30.07 FEET TO A POINT; THENCE WITH A BEARING OF 587"27"01"E, A DISTANCE OF 14.18 FEET TO A POINT;

THENCE WITH A BEARING OF NO'24'49"W, A DISTANCE OF 12.02 FEET TO A POINT ON THE NORTHERN BOUNDARY LINE OF PARCEL "A"; SAID POINT BEING THE POINT OF BEGINNING,

THIS IS NOT A SURVEY !


Drawn By TFL	Date 01/12/2016
Checked By TFL	F.B. N/A Pg. N/A
Scale <u>N.T.S.</u>	Job NoJG6531
Sheet 5 of 5	


NOTE:

ALL BEAPINGS SHOWN HEREON ARE RELATIVE TO **NFORMATION** ANY DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES, 146-149) HEREN INCORPORATED BY REFERENCE

Drowing:K: UG6531 CAD FHAN EASEMENT - WATERLINE - 2016-01-13 JG6531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14 dwg SHT 5

. .





raye

A OL TO

Drowing:K:\JG8531\CAD Filee\EASEMENT - WATERLINE - 2016-01-13\JG8531-REM - EASEMENT - SANITARY - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 2

3333 NORTH FEDERAL HIGHWAY PHONE : (561) 395-3333

1.

raye

JOHN A. GRANT, JR., INC.

TO OT TO' FUG OI DOCUMENT

CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50

EOCA RATON, FLORIDA 334 FAX : (561) 395-33

LEGAL DESCRIPTION FOR SANITARY EASEMENT SKETCH

Exhibit B (80F8)

I hereby certify this document to be a true,

LOADA

nf tha

and complete room

correct

PARCEL "A" OF LAND LYING IN THE GROVE PARC PLAT, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 178, PAGE 146-149 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE THE WESTERN SOUTHWEST CORNER OF SAID PARCEL "A" OF THE GROVE PARC PLAT PLAT AS RECORDED IN PLAT BOOK 178, PAGES 146-149;

THENCE RUNNING EASTERLY ALONG THE PROPERTY LINE OF PARCEL "A" WITH A BEARING OF N 89°36' 22" E , A DISTANCE OF 369.42 FEET TO A POINT, SAID POINT BEING A CORNER OF PARCEL "A" OF THE GROVE PARC PLAT;

THENCE N 00° 24' 49" E , A DISTANCE OF 64.06 FEET EASTERLY TO A POINT; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED UTILITY EASEMENT;

THENCE WITH A BEARING OF, S 89" 35' 11" E, A DISTANCE OF 13,54 FEET ALONG THE PROPERTY LINE OF PARCEL A TO A POINT;

THENCE WITH A BEARING OF N 00° 24' 49" E, A DISTANCE OF 12.00 FEET TO A POINT;

THENCE WITH A BEARING OF N 89" 35' 11" E, A DISTANCE OF 13.54 FEET TO A POINT;

THENCE WITH A BEARING OF S 00" 24' 49" E, A DISTANCE OF 12.00 FEET TO A POINT;

SAID POINT BEING THE AFOREMENTIONED POINT OF BEGINNING.

THIS IS NOT A SURVEY !

Drawn By TFL Date 01/14/2016
Checked By TFL F.B. N/A Pg. N/A
Scale <u>N.T.S.</u> Job No, <u>JG6531</u>
Sheet 3 of 3

NOTE

ALL BEARINGS SHOWN HEREON ARE RELATIVE TO ANY INFORMATION DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES 146-149) HEREIN INCORPORATED BY REFERENCE

Drowing:K: JOG531 CAD FILM EASEMENT - WATERLINE - 2016-01-13 JG6531-REM - EASEMENT - SANTARY - AS-BUILT WATER & SEWER - 01-14.dwg SHT 3