EXHIBIT "A"

10

INSTR # 113470243 Recorded 01/22/16 02:05:35 PM Broward County Commission Doc-D: \$0.70 Deputy Clerk 5040 #1, 10 Pages

Prepared by:			
Name:	*****		
Address:		 	
City, State, Zip:		 	

Return to: City Clerk, City of Coconut Creek 4800 West Copans Road Coconut Creek, FL 33063

Property appraiser's PIN(s):

UTILITY EASEMENT

(Water, Wastewater, and General Utilities) (From a corporation)

WITNESSETH: That, for and in consideration of the sum of TEN DOLLARS (\$10.00), and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Grantor hereby grants unto the Grantee, its successors and assigns, forever, a perpetual utility easement for water, wastewater, purposes and for any other utility purposes that the Grantee may deem necessary, granting unto said Grantee full and free right and authority to install, construct, operate, maintain, repair, replace and reconstruct said utilities as Grantee may deem necessary over, across, through, in and under that certain parcel of land described as:

SEE LEGAL DESCRITION AND SKETCH ATTACHED AS EXHIBIT "A"

situate, lying and being in Broward County, Florida.

IN WITNESS WHEREOF, GRANTOR, has caused this Utility Easement to be executed in its name and its corporate seal to be affixed, by its duly authorized officers, this 21 day of _____, $20|U_{-}$.


(1/2)


GRANTOB Lambo Holdy

(Name of granting corporation)

6 corporation а (Here insert state of incorporation) (Corp seal) ATTEST: by: DUNK (Lunh Secretary President nci Lama (Print/type/stamp name of (Print/type/stamp name of -50G.) Witness: Witness: (Print/type/stamp name o (Print/type/stamp name of STATE OF K COUNTY OF BRUNIN The foregoing Utility Easement was acknowledged before me this 21 day of Jun, 20 16 by Daniel Lamber president (name and title), and (name secretary and title) of Denullant. (name of grantor corporation), a (state or place of incorporation) corporation. He/she/they is/are personally known to me or has/have (type of ID) and type produced of ID), respectively, as identification. Public-State of Notary GINA M. JOHNS NOTARY PUBLIC STATE OF FLORIDA (Print/Type/stamp name of Notitry Public) Comm# FF163551 Expires 10/11/2018 My commission expires: My commission number is: (N.P. Seal) (2/2)


Foll thittes Engineering Engineering Common Discontrastic Fold MS easement Water-sewer-shapespeneral purpose case from a com 1-22-98 revised 12/02





Drowing:K:\JG6531\CAD Files\EASEMENT - WATERLINE - 2016-01-13\JG6531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 2

.



Drowing:K:\JG8531\CAD Files\EASEMENT - WATERLINE - 2016-01-13\JG8531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 3

3333 NORTH FEDERAL HIGHWAY PHONE : (561) 395-3333 JOHN A. GRANT, JR., INC.

CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50 BOCA RATON, FLORIDA 33431 FAX : (561) 395-3315

LEGAL DESCRIPTION WATER LINE EASEMENT

PARCEL "A" OF LAND LYING IN THE GROVE PARC PLAT, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 178, PAGE 146 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE THE WESTERLY SOUTHWEST CORNER OF SAID PARCEL "A" OF THE "GROVE PARC PLAT" AS RECORDED IN PLAT BOOK 178, PAGES 146-149;

THENCE RUNNING EASTERLY ALONG THE PROPERTY LINE OF PARCEL "A" WITH A BEARING OF N89°36'22"E, A DISTANCE OF 369.42 FEET TO A POINT, SAID POINT BEING "A""THE POINT OF BEGINNING OF THE HERIN DESCRIBED UTILITY EASEMENT;

THENCE N89°36'22"E, A DISTANCE OF 703.74 FEET ALONG THE NORTHERN LINE OF PARCEL A TO A POINT, SAID POINT BEING THE NORTHEAST CORNER OF PARCEL "A" OF THE "GROVE PARC PLAT".

THENCE SO"24'49"E, A DISTANCE OF 101.43 FEET ALONG THE EASTERN LINE OF PARCEL "A" TO A POINT; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED UTILITY EASEMENT;

THENCE WITH A BEARING OF N87°27'01"W, A DISTANCE OF 18.85 FEET TO A POINT; THENCE WITH A BEARING OF \$45°00'00"W, A DISTANCE OF 30.39 FEET TO A POINT; THENCE WITH A BEARING OF \$89°56'12"W, A DISTANCE OF 177.87 FEET TO A POINT; THENCE WITH A BEARING OF N00°51'27"W, A DISTANCE OF 69.90 FEET TO A POINT; THENCE WITH A BEARING OF N43°28'44"W, A DISTANCE OF 66.90 FEET TO A POINT; THENCE WITH A BEARING OF N43°28'44"W, A DISTANCE OF 46.80 FEET TO A POINT; THENCE WITH A BEARING OF N48°47'32"E, A DISTANCE OF 6.77 FEET TO A POINT; THENCE WITH A BEARING OF N41°12'27"W, A DISTANCE OF 6.77 FEET TO A POINT; THENCE WITH A BEARING OF S48°47'32"W, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF S48°47'32"W, A DISTANCE OF 8.06 FEET TO A POINT; THENCE WITH A BEARING OF S48°47'32"W, A DISTANCE OF 234.73 FEET TO A POINT; THENCE WITH A BEARING OF S89°48'16"W, A DISTANCE OF 6.80 FEET TO A POINT; THENCE WITH A BEARING OF N00°14'04"W, A DISTANCE OF 6.80 FEET TO A POINT; THENCE WITH A BEARING OF S00°14'04"W, A DISTANCE OF 6.80 FEET TO A POINT;

(CONTINUED ON SHEETS OF 5)

THIS IS NOT A SURVEY !

Drawn By <u>TFL</u>	Date01/12/2016
Checked By TFL	F.B. <u>N/A</u>
Scale <u>N.T.S.</u>	Job No. <u>JG6531</u>
Sheet 4 of 5	

NOTE:

ALL BEARINGS SHOWN HEREON ARE RELATIVE TO ANY INFORMATION DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES. 146-149) HEREIN INCORPORATED BY REFERENCE.

Drawing:K:\JG6531\CAD Files\EASENENT - WATERLINE - 2016-01-13\JG6531-REN - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 4

3333 NORTH FEDERAL HIGHWAY PHONE : (561) 395-3333 JOHN A. GRANT, JR., INC.

CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50



(CONTINUED FROM SHEET 4 OF 5)

THENCE WITH A BEARING OF \$89"27'43"W, A DISTANCE OF 134.82 FEET TO A POINT; THENCE WITH A BEARING OF S00°39'43"E, A DISTANCE OF 173.65 FEET TO A POINT; THENCE WITH A BEARING OF \$89°46'22"W, A DISTANCE OF 9.86 FEET TO A POINT; THENCE WITH A BEARING OF SOO"13'38"E, A DISTANCE OF 12.00 FEETTO A POINT; THENCE WITH A BEARING OF N89°46'22"E, A DISTANCE OF 9.95 FEET TO A POINT; THENCE WITH A BEARING OF \$00°31'33"E, A DISTANCE OF 110.64 FEET TO A POINT; THENCE WITH A BEARING OF N89°35'54"E, A DISTANCE OF 40.19 FEET TO A POINT: THENCE WITH A BEARING OF \$00°23'38"E, A DISTANCE OF 26.73 FEET TO A POINT: THENCE WITH A BEARING OF N89"36'22"E, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF N00"23'38"W, A DISTANCE OF 38.73 FEET TO A POINT: THENCE WITH A BEARING OF \$89°35'54"W, A DISTANCE OF 40.20 FEET TO A POINT; THENCE WITH A BEARING OF N00°37'02"W, A DISTANCE OF 272.33 FEET TO A POINT; THENCE WITH A BEARING OF N89°41'00"E, A DISTANCE OF 365.38 FEET TO A POINT; THENCE WITH A BEARING OF \$43°28'44"E, A DISTANCE OF 48.20 FEET TO A POINT: THENCE WITH A BEARING OF S00°52'33"E, A DISTANCE OF 77.06 FEET TO A POINT; THENCE WITH A BEARING OF \$89'59'42"E, A DISTANCE OF 3.40 FEET TO A POINT; THENCE WITH A BEARING OF S00"00"E, A DISTANCE OF 8.28 FEET TO A POINT; THENCE WITH A BEARING OF N90*00'00"W, A DISTANCE OF 13.60 FEET TO A POINT: THENCE WITH A BEARING OF N65"23'40"W, A DISTANCE OF 31.59 FEET TO A POINT: THENCE WITH A BEARING OF \$24*36'20"W, A DISTANCE OF 12.00 FEET TO A POINT; THENCE WITH A BEARING OF \$65"23'40"E, A DISTANCE OF 34.21 FEET TO A POINT: THENCE WITH A BEARING OF N90"00"C, A DISTANCE OF 28.22 FEET TO A POINT; THENCE WITH A BEARING OF N00'00'00'E, A DISTANCE OF 20.29 FEET TO A POINT: THENCE WITH A BEARING OF N89°56'12"E, A DISTANCE OF 179.25 FEET TO A POINT; THENCE WITH A BEARING OF N45'00'00"E, A DISTANCE OF 30.07 FEET TO A POINT; THENCE WITH A BEARING OF \$87"27"01"E, A DISTANCE OF 14.18 FEET TO A POINT;

THENCE WITH A BEARING OF N0°24'49"W, A DISTANCE OF 12.02 FEET TO A POINT ON THE NORTHERN BOUNDARY LINE OF PARCEL "A"; SAID POINT BEING THE POINT OF BEGINNING.

THIS IS NOT A SURVEY !


Drawn By TFL	Date 01/12/2016
Checked By TFL	F.B. <u>N/A Pg</u> . <u>N/A</u>
Scale <u>N.T.S.</u>	Job No. JG6531
Sheet 5 of 5	


NOTE:

ALL BEARINGS SHOWN HEREON ARE RELATIVE TO ANY INFORMATION DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES. 146-149) HEREIN INCORPORATED BY REFERENCE.

Drawing:K:\JG6531\CAD Files\EASEMENT - WATERLINE - 2016-01-13\JG6531-REM - EASEMENT - WATER LINE - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 5

BOCA RATON, FLORIDA 33431 FAX : (561) 395-3315





Drawing:K:\JG6531\CAD Files\EASEMENT - WATERLINE - 2016-01-13\JG6531-REM - EASEMENT - SANITARY - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 2

3333 NORTH FEDERAL HIGHWAY PHONE : (561) 395-3333

, 1 · · · · ·

JOHN A. GRANT, JR., INC. CONSULTING ENGINEERS & LAND SURVEYORS LICENSED BUSINESS # LB 50

BOCA RATON, FLORIDA 33431 FAX : (561) 395-3315

LEGAL DESCRIPTION FOR SANITARY EASEMENT SKETCH

PARCEL "A" OF LAND LYING IN THE GROVE PARC PLAT, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 178, PAGE 146-149 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE THE WESTERN SOUTHWEST CORNER OF SAID PARCEL "A" OF THE GROVE PARC PLAT PLAT AS RECORDED IN PLAT BOOK 178, PAGES 146-149;

THENCE RUNNING EASTERLY ALONG THE PROPERTY LINE OF PARCEL "A" WITH A BEARING OF N 89°36' 22" E , A DISTANCE OF 369.42 FEET TO A POINT, SAID POINT BEING A CORNER OF PARCEL "A" OF THE GROVE PARC PLAT;

THENCE N 00° 24' 49" E , A DISTANCE OF 64.06 FEET EASTERLY TO A POINT; SAID POINT BEING THE POINT OF BEGINNING OF THE HEREIN DESCRIBED UTILITY EASEMENT;

THENCE WITH A BEARING OF, S 89° 35' 11" E, A DISTANCE OF 13.54 FEET ALONG THE PROPERTY LINE OF PARCEL A TO A POINT;

THENCE WITH A BEARING OF N 00' 24' 49" E, A DISTANCE OF 12.00 FEET TO A POINT;

THENCE WITH A BEARING OF N 89" 35' 11" E, A DISTANCE OF 13.54 FEET TO A POINT;

THENCE WITH A BEARING OF S 00° 24' 49" E, A DISTANCE OF 12.00 FEET TO A POINT;

SAID POINT BEING THE AFOREMENTIONED POINT OF BEGINNING.

THIS IS NOT A SURVEY !

Drawn By <u>TFL</u>	Date <u>01/14/2016</u>
Checked By TFL	F.B. <u>N/A Pg</u> . <u>N/A</u>
Scale <u>N.T.S.</u>	Job No. JG6531
Sheet 3 of 3	

NOTE

ALL BEARINGS SHOWN HEREON ARE RELATIVE TO ANY INFORMATION DESCRIBED ON THE GROVE PARC PLAT (BROWARD COUNTY PLAT BOOK 178, PAGES, 146-149) HEREIN INCORPORATED BY REFERENCE.

Drawing:K:\JG6631\CAD Files\EASEMENT - WATERLINE - 2016-01-13\JG6531-REM - EASEMENT - SANITARY - AS-BUILT WATER & SEWER - 01-14.dwg\SHT 3

EXMIDIA "A" (1 OF 2)

DOWINPITE Engineeping Componention 14241 SOUTHWEST 143 COURT • MIAMI, FLORIDA 33186 • PHONE: (305) 232-2340 • FAX: (305) 256-1161

PROPOSAL

PROPOSAL SUBMITTED TO:	PHONE: 954-312-2433	DATE: 30-Jul-14
BUTTERS CONSTRUCTION STREET:	JOB NAME: AMERICAN TOP TEAM	
6820 LYONS TECHNOLOGY CIRCLE, STE. 100	FAX:	Page 6 of 11
CITY, STATE, & ZIPCODE COCONUT CREEK. FL	954-570-8844	

WATER:

QUANTITY	U/M	DESCRIPTION	
1,083	LF	8" DIP	
15	LF	6" DIP	
		HDPE Service Pipe	
74	LF	3" Sleeves	
1,098	LF	Blueline Paint Water Main	
3	ΕA	Fire Hydrant w/ Mega Lug	
5	ΕA	8" Gate Valve & Box w/ Mega Lug	
4	ΕA	6" Gate Valve & Box w/ Mega Lug	
1	EA	8" Saddle w/ 2" Corp.	
4	EA	8" x 6" Tee w/ Mega Lug	
4	EA	8" 90 Bend w/ Mega Lug	
2	ΕA	8" 45 Bend w/ Mega Lug	
1	EA	2" Water Service (domestic or irrigation)	
54	EA	8" Pipe Joint Restraint	
1	ΕA	8" Fill & Flush Connection	
1	EA	2" Backflow Preventor Assembly	
2	ΕA	Remove Existing Plug & Connect	
1	LS		
1	LS	Survey & As-Builts	

EXMIBIT A (20FZ)

DOWINPITE Engineeping Componstion 14241 SOUTHWEST 143 COURT • MIAMI, FLORIDA 33186 • PHONE: (305) 232-2340 • FAX: (305) 256-1161

PROPOSAL

PROPOSAL SUBMITTED TO:	PHONE:	DATE:
BUTTERS CONSTRUCTION	954-312-2433	30-Jul-14
STREET:	JOB NAME:	
6820 LYONS TECHNOLOGY CIRCLE, STE. 100	AMERICAN TOP TEAM	
CITY, STATE, & ZIPCODE	FAX:	Page 8 of 11
COCONUT CREEK, FL	<u>954-570-8844</u>	

SAN. SEWER:

QUANTITY U/M DESCRIPTION

60 LF 6" PVC SDR-35

5 LF 8" PVC SDR-35 Lateral

- 13 TN Pipe Bedding for Sewer Laterals
- 1 EA 8" Coupling PVC SDR-35
- EA 8" Manhole Adaptor PVC SDR-35 1

1 EA 8" x 6" Reducer PVC SDR-35

2 EA 6" 45° Bend PVC SDR-35

1 EA 6" Cap PVC SDR-35

EA 6" Cleanout Ass'y. PVC SDR-35 1

1 EA USF Box

1 EA Concrete Collar

EA Coredrill Exist. Manhole & Connect 0/6 1

1 EA Rebuild Exist. Manhole Invert

LS Survey & As-Builts 1