SECTION: COUNTY: 86120000 BROWARD

STATE RD: PERMIT:

810

2023-L-491-00002

AMENDMENT NUMBER TWELVE (12) TO FLORIDA DEPARTMENT OF TRANSPORTATION DISTRICT 4 INCLUSIVE LANDSCAPE MAINTENANCE MEMORANDUM OF AGREEMENT

THIS AMENDMENT Number Twelve (12) to the Original Agreement dated May 27, 2009, made and entered into this day of 20 by and between the DEPARTMENT OF TRANSPORTATION hereinafter called the DEPARTMENT and the CITY OF COCONUT CREEK, a municipal subdivision of the State of Florida, hereinafter called the AGENCY.
WITNESSETH
WHEREAS, the parties entered into the Landscape Inclusive Maintenance Memorandum of Agreement dated, May 27, 2009 ("Original Agreement") for the purpose of the AGENCY maintaining landscape improvements on various state roads within the AGENCY'S jurisdiction, including State Road 810 (W. Hillsboro Boulevard); and,
WHEREAS, the DEPARTMENT and the AGENCY have agreed to add additional landscape on State Road 810 (W. Hillsboro Boulevard) in accordance with the Original Amendment; and,
WHEREAS, the parties hereto mutually recognize the need for entering into this Amendment, designating and setting forth the responsibilities of each party for the Additional Improvements; and,
WHEREAS, the AGENCY by Resolution No dated, 20 attached hereto as Exhibit "C" and by this reference made a part hereof, desires to enter into this Amendment and authorizes its officers to do so,
NOW THEREFORE , for and in consideration of mutual benefits that flow each to the other, the parties covenant and agree as follows:
 Pursuant to Page 7, Section 8 of the Original Agreement, the DEPARTMENT will allow an Adjacent Property Owner to construct additional landscape improvements or to modify an improvement located as indicated in Exhibit "A", State Road 810 (Hillsboro Boulevard) from M.P. 1.209 to M.P. 1.254.

2. The Additional Improvements, more fully described in the plans attached to this Amendment as Exhibit "B" and incorporated into the Original Agreement, will include the following non-standard items: groundcover, shrubs, irrigation, and curvilinear sidewalk. The Additional Improvements shall be installed in accordance with the

aforementioned plans.

SECTION: COUNTY: 86120000 BROWARD

STATE RD: 810

PERMIT:

2023-L-491-00002

3. The AGENCY agrees to maintain the Additional Improvements in accordance with Part I of Exhibit "C" Maintenance Plan for Landscape Improvements, of the Original Agreement, and in compliance with:

II. SPECIFIC PROJECT SITE MAINTENANCE REQUIREMENTS AND RECOMMENDATIONS

- 1. Provide a landscape multipurpose walkway with sustainable trees, palms, shrubs, and ground cover.
- 2. Canopy Trees are intended to be maintained at mature height and spread. (Refer to Part I Pruning, for clear sight window and vertical clear zone pruning requirements.)
- 3. Remove suckering growth from base and clear trunk areas for single and multi-trunked trees on a quarterly basis.
- 4. To maintain the intended appearance of all palms, apply the latest palm fertilizer recommended by the University of Florida IFAS Extension per the manufacturer's specifications.
- 5. To maintain the intended appearance of all shrubs or turf grass, apply the latest fertilizer recommended by the University of Florida IFAS Extension per the manufacturer's specifications.
- 6. Do not remove fronds from self-cleaning palms, unless damaged. Palms with persistent fronds shall only have dead fronds removed, do not remove any green fronds. If it is deemed necessary to prune a palm's fronds, no fronds shall be trimmed above 3 o'clock and 9 o'clock on the horizontal plain.
- 7. Groundcover and shrub horizontal growth shall be maintained to prevent foliage from growing beyond the limits of the planting areas shown on the plan. Maintain an 8" 12" setback from the foliage to the edge of curb, pavement, sidewalk and/or other hardscape improvements.
- 8. Maintain the vertical height of:
 - o llex vomitoria between 16" and 18", full to ground
 - o Cocoplum horizontalis between 18" and 20", full to ground
 - o Ernodea littoralis between 16" and 18", full to ground
 - o Serenoa repens between 3' and 4', full to ground
 - o Hamelia patens between 18" and 20", full to ground
 - o Muhlenbergia capillaris 24", full
 - o Zamia floridana 24". full
- 9. Inspect groundcovers and shrubs on a monthly basis for maintaining full ground coverage.

SECTION: 86120000 COUNTY: BROWARD

STATE RD: 810

PERMIT: 2023-L-491-00002

10. Evaluate plant material on a monthly basis for pests, diseases, drought stress or general decline. If required, follow the integrated pest management program established by the Agency to ensure healthy plants.

11. Inspect the irrigation system performance on a monthly basis to ensure the system is providing 100% coverage, does not have sections of low pressure, heads and valves are clean and clear of debris and any damaged irrigation components (i.e. spray nozzles, spray heads, valve boxes, etc.) are repaired or replaced.

LIST OF EXHIBITS FOR AMENDMENT #12:

Exhibit A - Landscape Improvements Maintenance Boundaries

Exhibit B - Landscape Improvement Plans

Exhibit C - Resolution

Except as modified by this Amendment, all terms and conditions of the Original Agreement and all Amendments thereto shall remain in full force and effect.

SECTION: COUNTY: 86120000 BROWARD

STATE RD:

810

PERMIT: 2023-L-491-00002

In Witness whereof, the parties hereto have executed this Amendment effective the day and year written and approved.

CITY OF COCONUT CREEK	
By: Sheila Rose, City Manager	Date:
Attest:	
Joseph J. Kavanagh, City Clerk	(SEAL)
Legal Review:	
Terrill C. Pyburn, City Attorney	
STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION	
By: John P. Krane, P.E., (or designee) Director of Transportation Development	Date:
Attest:	
Alia Chanel, (or designee) Executive Secretary	(SEAL)
Legal Review:	
Pamela G. Eidelberg, (or designee) Office of the General Counsel, District 4	Date: